

United States Patent and Trademark Office

M

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.			
	10/731,561	12/09/2003	John Maurice Walsh JR.	WAL03-0001	5095			
	45766 7590 03/14/2007 ANTOINETTE M. TEASE			EXAMINER				
	P. O. BOX 510	016		NORMAN	RMAN, MARC E			
BILLINGS, MT 59105		1 39103		ART UNIT	PAPER NUMBER			
				3744				
_								
SHORTENED STATUTORY PERIOD OF RESPONSE		Y PERIOD OF RESPONSE	MAIL DATE	MAIL DATE DELIVERY MODE				
3 MONTHS		NTHS	03/14/2007	PAPER				

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

and the second s	Application No.	Applicant(s)				
	10/731,561	WALSH, JOHN MAURICE				
Office Action Summary	Examiner	Art Unit				
	Marc E. Norman	3744				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on	09 December 2003.					
2a) This action is FINAL . 2b) ∑	This action is non-final.	· ·				
3) Since this application is in condition for a						
closed in accordance with the practice ur	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-19</u> is/are pending in the applic	cation.					
4a) Of the above claim(s) is/are wi						
5) Claim(s) is/are allowed.		The smile of the second				
6)⊠ Claim(s) <u>1-19</u> is/are rejected.		27-				
7) Claim(s) is/are objected to.	the state of the s	tak esti san san esi s				
8) Claim(s) are subject to restriction	and/or election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>25 June 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the	***	•				
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority docu		ution No				
•	uments have been received in Applica					
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
coo the attached detailed chief for a list of the continue depice her received.						
•	÷					
·	•	•				
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.						
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 2/18/04.		Patent Application				
2. Deleted and Trademark Office						

Application/Control Number: 10/731,561

Art Unit: 3744

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "the thermostat connections" in lines 3-4 of the claim. There is insufficient antecedent basis for this limitation in the claim. Also, the connection between the timer and the thermostat is itself a thermostat connection that is being wired. To overcome this rejection, the Examiner suggests Applicant rewrite the claim such that this limitation reads "without the need for rewiring any existing thermostat connections."

Claim 3 recites the limitation "the fan switch" in line 2 of the claim. There is insufficient a second of the claim.

Claim 4 recites the limitation "the thermostat switch terminals" in lines 2-3 of the claim.

There is insufficient antecedent basis for this limitation in the claim.

Allowable Subject Matter

Claims 1-19 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

The following is a statement of reasons for the indication of allowable subject matter:

The prior art fails to teach a timer comprising the microprocessor/AC-DC converter/zero

Application/Control Number: 10/731,561 Page 3

Art Unit: 3744

crossing detector/switching means/user interface combination as recited in independent claim 1, and further wherein the timer connects directly to an existing thermostat without the need for rewiring any existing thermostat connections.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc E. Norman whose telephone number is 571-272-4812. The examiner can normally be reached on Mon.-Fri., 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MN

MARC NORMAN PRIMARY EXAMINER

rafarit, ask to the first

s, our aded from the Paris is

the few rogals loads on agencies to the Poly and